

## Human infection with avian influenza A(H5) viruses

### Human infection with avian influenza A(H5N1) virus

Between 1 March and 7 March 2019, **no new cases** of human infection with avian influenza A(H5N1) virus were reported to WHO in the Western Pacific Region.

As of 12 February 2019, a total of 238 cases of human infection with avian influenza A(H5N1) virus were reported from four countries within the Western Pacific Region since January 2003 (Table 1). Of these cases, 134 were fatal, resulting in a case fatality rate (CFR) of 56%. The last case was reported from China, with an onset date of 27 December 2015 (1 case, no death).

**Table 1: Cumulative number laboratory-confirmed human cases (C) and deaths (D) of influenza A(H5N1) virus infection reported to WHO, by date of onset (January 2003 to 12 February 2019), Western Pacific Region.**

Country	2003-2009		2010-2014		2015		2016		2017		2018		2019		Total	
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D
Cambodia	9	7	47	30	0	0	0	0	0	0	0	0	0	0	56	37
China	38	25	9	5	6	1	0	0	0	0	0	0	0	0	53	31
Lao PDR	2	2	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Viet Nam	112	57	15	7	0	0	0	0	0	0	0	0	0	0	127	64
<b>Total</b>	<b>161</b>	<b>91</b>	<b>71</b>	<b>42</b>	<b>6</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>238</b>	<b>134</b>

Globally, from January 2003 to 12 February 2019, there were 860 cases of human infection with avian influenza A(H5N1) virus reported from 16 countries worldwide. Of these 860 cases, 454 were fatal (CFR of 53%). The last case was reported from Indonesia on 26 September 2017 ([source](#)).

### Human infection with avian influenza A(H5N6) virus

Between 1 March and 7 March 2019, **no new cases** of human infection avian influenza A(H5N6) virus were reported to WHO in the Western Pacific Region. To date, a total of 23 laboratory-confirmed cases of human infection with influenza A(H5N6) virus, including seven deaths at time of IHR report, have been reported to WHO from China since 2014.

### Public health risk assessment for human infection with avian influenza A(H5) viruses

Whenever avian influenza viruses are circulating in poultry, there is a risk for sporadic infection and small clusters of human cases due to exposure to infected poultry or contaminated environments. Therefore sporadic human cases are not unexpected.

With continued incidence of avian influenza due to existing and new influenza A(H5) viruses in poultry, there is a need to remain vigilant in the animal and public health sectors. Community awareness of the potential dangers for human health is essential to prevent infection in humans. Surveillance should be continued to detect human cases and early changes in transmissibility and infectivity of the viruses.

For more information on confirmed cases of human infection with avian influenza A(H5) virus reported to WHO, visit: [http://www.who.int/influenza/human\\_animal\\_interface/en/](http://www.who.int/influenza/human_animal_interface/en/)

For information on monthly risk assessments on Avian Influenza, visit: [http://www.who.int/influenza/human\\_animal\\_interface/HAI\\_Risk\\_Assessment/en/](http://www.who.int/influenza/human_animal_interface/HAI_Risk_Assessment/en/)

## Human infection with avian influenza A(H7N4) virus in China

Between 1 March and 7 March 2019, **no new cases** of human infection with avian influenza A(H7N4) virus were reported to WHO in the Western Pacific Region. To date, only one laboratory-confirmed case of human infection with influenza A(H7N4) virus has been reported to WHO. This case was reported from China on 14 February 2018.

## Human infection with avian influenza A(H7N9) virus in China

Between 1 March and 7 March 2019, **no new cases** of human infection with avian influenza A(H7N9) virus were reported to WHO in the Western Pacific Region. As of 7 March 2019, a total of 1,567 laboratory-confirmed human infections with avian influenza A (H7N9) virus have been reported to WHO since early 2013, including 40 instances of 2-3 person clusters. Included in this total are 32 human cases of HPAI A(H7N9) virus all reported during the 5th wave (1 October 2016 to 30 September 2017). These 32 cases were from Fujian, Guangdong, Guangxi, Hebei, Henan, Hunan, Shaanxi, Taiwan, China (the case had travel history to Guangdong), and Yunnan. No increased transmissibility or virulence of the virus within human cases has been detected related to the HPAI A(H7N9) virus ([source](#)).

WHO is continuing to assess the epidemiological situation and will conduct further risk assessments as new information becomes available. The number and geographical distribution of human infections with avian influenza A(H7N9) viruses in the fifth epidemic wave (1 October 2016 to 30 September 2017) was greater than previous waves and the subsequent sixth wave (1 October 2017 to 30 September 2018).

Further sporadic human cases of avian influenza A(H7N9) virus infection are expected in affected and possibly neighbouring areas. Should human cases from affected areas travel internationally, their infection may be detected in another country during or after arrival. However, if this were to occur, community level spread is considered unlikely as the virus does not have the ability to transmit easily among humans.

To date, there is no evidence of sustained human-to-human transmission of avian influenza A(H7N9) virus. Human infections with the A(H7N9) virus are unusual and need to be monitored closely in order to identify changes in the virus and transmission behaviour to humans as this may have serious public health impacts.

For more information on human infection with avian influenza A(H7N9) virus reported to WHO: [http://www.who.int/influenza/human\\_animal\\_interface/influenza\\_h7n9/en/](http://www.who.int/influenza/human_animal_interface/influenza_h7n9/en/)

## Human infection with avian influenza A(H9N2) in China

Between 1 March and 7 March 2019, **no new cases** of human infection with avian influenza A(H9N2) virus were reported to WHO in the Western Pacific Region. In 2018 there were seven human cases of avian influenza A(H9N2) reported from China to WHO and two cases thus far in 2019. A total of 25 cases of human infection with avian influenza A(H9N2) in China have been reported since December 2015.

## Animal infection with avian influenza virus

Between 1 March and 7 March 2019, one new outbreak of avian influenza was reported to OIE from the Western Pacific Region.

### Highly pathogenic avian influenza A(H5N2) virus infection in Taiwan, China

On 6 March 2019, one new outbreak of highly pathogenic avian influenza A(H5N2) in Pingtung county was reported to OIE. Of 31,890 susceptible poultry, 466 died and the remaining were culled.

[http://www.oie.int/wahis\\_2/public/wahid.php/Reviewreport/Review?page\\_refer=MapFullEventReport&reportid=29736](http://www.oie.int/wahis_2/public/wahid.php/Reviewreport/Review?page_refer=MapFullEventReport&reportid=29736)

## For more information on animal infection with avian influenza viruses with potential public health impact, visit:

- [World Organization of Animal Health \(OIE\) web page: Weekly disease information and Latest report on Avian Influenza](#)
- [Food and Agriculture Organization of the UN \(FAO\) webpage: Avian Influenza](#)
- [OFFLU: Animal Influenza](#)
- [Emergency Prevention System for Transboundary Animal and Plant Pests and Diseases \(EMPRES\)](#)

## Other updates

- [WHO Risk Assessment of human infection with avian influenza A virus.](#) 12 February 2019.
- [Recommended composition of influenza virus vaccines for use in the 2019 southern hemisphere influenza season.](#) 27 September 2018
- [WHO Consultation and Information Meeting on the Composition of Influenza Virus Vaccines for Use in the 2019-20 Northern Hemisphere Influenza Season.](#) 18-21 February 2019
- [Antigenic and genetic characteristics of zoonotic influenza viruses and candidate vaccine viruses developed for potential use in human vaccines.](#) 21 February 2019
- [H7N9 situation update \(FAO\).](#) 6 February 2019
- [TIPRA Frequently Asked Questions.](#) March 2017